

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier HYDROGEN PEROXIDE 34.5% FG** 

Other means of identification KOSH None.

Recommended use ALL PROPER AND LEGAL PURPOSES

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**Bulk Peroxide** Company name **Address** 

2129 E. Cedar St. #2 Tempe, AZ 85281

Telephone 602-584-5845 E-mail Not available.

**Emergency phone number** 800-633-8253 **PERS** 

2. Hazard(s) identification

Category 2 Physical hazards Oxidizing liquids Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage.

Causes serious eye damage. May cause respiratory irritation.

Precautionary statement

Prevention Keep away from heat. Keep/Store away from clothing and other combustible materials. Take any

precaution to avoid mixing with combustibles. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a

well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to

SDS US

extinguish.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 65.98% of the mixture consists of component(s) of unknown acute inhalation toxicity.

# 3. Composition/information on ingredients

**Mixtures** 

1/8 Version #: 01 Issue date: 03-12-2020

Chemical name	Common name and synonyms	CAS number	%
HYDROGEN PEROXIDE (H2O2)		7722-84-1	34.5
Other components below reportab	le levels		65.98

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact

IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before

Eye contact

reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

Ingestion

present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delaved

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** 

Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

May intensify fire; oxidizer. Contact with combustible material may cause fire.

### Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. For waste disposal, see section 13 of the SDS.

### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

2/8

## 7. Handling and storage

Precautions for safe handling

Keep away from heat. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

## Occupational exposure limits

US. OSHA Table Z-1 Limits	for Air (	Contaminants	(29 CFR	l 1910.1000)
---------------------------	-----------	--------------	---------	--------------

Components	Туре	Value	
HYDROGEN PEROXIDE (H2O2) (CAS 7722-84-1)	PEL	1.4 mg/m3	
		1 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	
HYDROGEN PEROXIDE (H2O2) (CAS 7722-84-1)	TWA	1 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
HYDROGEN PEROXIDE	TWA	1.4 mg/m3	
(H2O2) (CAS 7722-84-1)			
		1 ppm	

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

The following are recommendations for Personnel Protective Equipment (PPE). The employer/user of this product must perform a Hazard Assessment of the workplace according to OSHA regulations 29 CFR 1910.132 to determine the appropriate PPE for use while performing any task involving potential exposure to this product.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Be aware that the liquid may penetrate the gloves.

Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators. Chemical respirator with organic vapor cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

#### **Appearance**

Physical state Liquid.
Form Liquid.
Color COLORLESS
Odor PUNGENT
Odor threshold Not available.

Not available. pН -27 °F (-32.78 °C) Melting point/freezing point

Initial boiling point and boiling 243.84 °F (117.69 °C) estimated

range

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

9.40 lbs/gal Density 1.13 g/ml

**Explosive properties** Not explosive.

**Oxidizing properties** May intensify fire; oxidizer.

65.98 % estimated Percent volatile

Specific gravity 1.13

## 10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat. Contact with incompatible materials. Combustible material. Reducing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Causes severe skin burns. Skin contact Causes serious eye damage. Eye contact

Causes digestive tract burns. Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. May cause respiratory irritation.

Information on toxicological effects

Material name: HYDROGEN PEROXIDE 34.5% FG KOSH Version #: 01 Issue date: 03-12-2020

In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and Acute toxicity

central nervous system effects. Harmful if swallowed.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN PEROXIDE (H2O2) (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. Aspiration hazard

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

No data available. Bioaccumulative potential Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

**UN** number UN2014

**UN** proper shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS

Transport hazard class(es) 5.1 Class

8 Subsidiary risk Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**ERG** number 140

SDS US 5/8 Version #: 01 Issue date: 03-12-2020

Transport information on packaging may be different from that listed. Transportation information on packaging may be different from that listed.

#### IATA

**UN** number UN2014

UN proper shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS

Transport hazard class(es)

5.1 Class Subsidiary risk 8 Ш Packing group **Environmental hazards** No. **ERG** Code 140

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN2014 **UN** number

HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% UN proper shipping name

hydrogen peroxide (stabilized as necessary) (HYDROGEN PEROXIDE (H2O2))

Transport hazard class(es)

Class 5.1 Subsidiary risk 8 Packing group ||**Environmental hazards** 


No. Marine pollutant F-H. S-Q **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

#### DOT



### IATA; IMDG



## 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

HYDROGEN PEROXIDE (H2O2) (CAS 7722-84-1)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
HYDROGEN	7722-84-1	1000	1000			

7722-84-1 **HYDROGEN** 

PEROXIDE (H2O2)

SARA 311/312 Hazardous Yes

chemical

Classified hazard Oxidizer (liquid, solid, or gas) categories Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other information, including date of preparation or last revision

Issue date: 03-12-2020 Issue date

Version#

Health: 3 **HMIS®** ratings

Flammability: 0 Physical hazard: 2

Material name: HYDROGEN PEROXIDE 34.5% FG KOSH SDS US 7/8 Version #: 01 Issue date: 03-12-2020

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NFPA ratings Health: 3

Flammability: 0 Instability: 1

Special hazards: OX

Disclaimer While Bulk Peroxide believes the information contained herein to be accurate, Bulk Peroxide

makes no representation or warranty, express or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for

handling, using and/or reselling the Product in accordance with applicable federal, state, and local

law. This SDS shall not in any way limit or preclude the operation and effect of any of the

provisions of Bulk Peroxide's terms and conditions of sale.

Revision information Hazard(s) identification: Hazard statement

Hazard(s) identification: Prevention Hazard(s) identification: Storage

Hazard(s) identification: Supplemental information

First-aid measures: Inhalation

First-aid measures: Most important symptoms/effects, acute and delayed

Exposure controls/personal protection: Respiratory protection

Exposure controls/personal protection: PPE Symbols

Toxicological information: Acute toxicity

Toxicological information: Specific target organ toxicity - single exposure

Toxicological information: Symptoms related to the physical, chemical and toxicological

characteristics